

welceme





Inland Valley Humane Society & S.P.C.A.



FOSTER PROGRAM OVCYVIAN

• Temporary/short-term care of IVHS animals

• Juveniles, adults, mothers with litters, medical fosters

 Food, supplies, veterinary care, and foster support/guidance are provided

 Assignments can last a couple of weeks to several months

 Fosters are assigned a return date for spay/neuter surgery, then are made available for adoption.



THINGS TO CONSIDER

 Your available time and schedule, including any upcoming travel plans

Your home

Your own pets

Other people in the home

Getting to IVHS / transportation

 Making the commitment for the agreed-upon foster period





YOUR ROLE AS TO SKY

- Provide food, shelter, and love
- Ensure foster animals are healthy, monitoring for illness and giving prescribed medications
- Provide a routine, exercise, play, and regular socialization
- Keep them safe and secure
- Help them become as adoptable as possible





HEALTH & SAFETY OVECULIONS

- Initial quarantine period of 7-10 days for <u>all</u> foster animals
- Preparing your home
- Bottle baby bins, foster rooms
- Dog crates/kennels
- Keep kittens and puppies indoors only
- Take care around dogs,
 older or larger animals, small children





BOTTLE BABY CONT

- Newborn to weaning age (about 4-5 weeks old)
- Keep babies warm / regulating their body temperature
- Require bottle feeding and stimulation through age of 3-4 weeks old ("Kitten Lady" demonstration videos)
- Most bottle babies are too young for flea treatment, deworming, shots



WEANING/WEANED illens

- Kittens 4-5 weeks and older
- Able to use litterbox
- Eating on their own
- Formula in food until 5 weeks old
- No hand-feeding (spoon-feed ok)
- · Active, mobile, playful
- Treated for fleas, dewormed, and given first shots at intake





GENERAL CARE & SOCIALIZATION

- Follow feeding guidelines according to weight and age
- Monitor for signs of illness
- Provide playtime and enrichment
- Provide socialization to humans,
 other pets in the home
- Expose to normal household sights and sounds





MONITORING Weight

• Weigh ALL kittens every age, daily, at least once a day

 Weight is important indicator of kitten health and development

 Normal weight gain: 10-15 grams/day (50-100 grams/week)

Typical birth weight 90-110 grams;
 should be doubled by 2 weeks old

• 1.5 to 2 lbs. minimum for surgery

Contact Vet Services if not gaining weight





PUPPIES! Suppies!

- Puppy-proofing your home
- Feeding & stimulation of bottle babies (same techniques as for baby kittens)
- Potty training (3-4 weeks old)
- Treating fleas, deworming, vaccinations
- No hand-feeding
- Report bite incidents
- Must stay at home (can be outside in playpen supervised)
- No walks, no play dates, no travel





ADULT SHELTER

- Provide daily routine, regular exercise
- No dog parks, dog beaches, or other off-leash activities in public spaces
- No boarding/pet hotels or travel
- Not to be left outside unattended
- Baths, professional grooming ok
- Report bite incidents
- Foster photos & observations

Returning dogs to IVHS







CONTACTING THE DUT.

- Foster coordinator availability
- Refills of food & supplies
- Non-medical questions and general foster care advice
- Updates on foster animals
- Report foster passings, accidents, lost fosters, bite incidents
- Changing your contact info
- Early returns





VETERINARY DOINTURY

- Vet clinic days and hours
- Vet clinic visits by appointment
- If emergency (animal is lateral), call ahead to notify & just come down
- Foster appointments sent by email
- Be on time for all appointments
- Contact vet clinic for rescheduling
- Picking up medication/refills






PROGRAM

MEDICAL CONCERNS & City

- Medical concerns or related questions
- Must call or email Vet Services first
- During shelter hours M-F (call Ext. 669, or email if no answer)
- During shelter hours Saturdays (call Ext. 665; no emails)
- After hours or on Sundays or holidays
- "Petriage" emergency protocol
- IVHS may contact you for addt'l info





MEDICALCARE

- Use IVHS vet clinic only (no outside vet clinics or hospitals unless directed by IVHS staff)
- Administering meds and following medical care instructions
- No home remedies, subQ fluids, other meds or treatments not prescribed for the animal or authorized by IVHS vet staff
- Respond to IVHS messages promptly and stay in contact if condition serious





FOSTER ILLNESS & OUNTY SERVICE OF STATES OF ST

- Upper respiratory infection most common among kittens
- FPV/panleukopenia (cats)
- Parvo, distemper (dogs)
- Kennel cough (dogs)
- Ringworm, scabies (all species)
- Common signs of illness
- "Fading" kittens or puppies
- Deceased fosters protocol





SANITIZING & OTHER POST-ASSIGNMENT:

- Use "Rescue" disinfectant or diluted bleach solution
- Return all foster supplies
- Required post-foster
 quarantine for certain hardy
 viruses and diseases
- You can send foster photos
 & bios to foster coordinator
- We cannot provide foster animal updates






FOSTER Contion

- Fosters have priority to apply to adopt
- Notify foster coordinator as soon as possible
- Submit foster adoption form (online link will be provided to you)
- For kittens/puppies, adopter must come to IVHS the afternoon of surgery
- We cannot hold any animals
- For adult dogs/cats, wait to be contacted
- Adoptions are not guaranteed (can be declined)






THEIL illen Lady









LEARN ABOUT KITTEN CARE



THANK OU.



Thank you for volunteering your time and energy and for opening your home to give our animals a temporary home while they await adoption.

We could not do all that we do without your support!

