

Vaccines Available at IVHS & SPCA and Recommended Guidelines

Recommended Core Vaccines for Dogs

Initial Vaccination Dogs under ≤20 Weeks of Age

- DHPP (Distemper, Adenovirus, Parvovirus, Parainfluenza)
 - At least 3 doses between 6 20 weeks, 2 4 weeks apart. In high CDV risk areas, 18-20 weeks is preferred. (OUR AREA!)
- Rabies: Given between 12 16 weeks of age.

Initial Vaccination Dogs under ≥20 Weeks of Age

- DHPP (Distemper, Adenovirus, Parvovirus, Parainfluenza)
 - 2 doses, 2 4 weeks apart, same if vaccination history is unknown.
- Rabies: 1 dose.

Revaccination

- DHPP (Distemper, Adenovirus, Parvovirus, Parainfluenza)
 - A single dose within 1 year following the last dose in the initial vaccine series.
 - Administer subsequent boosters at intervals of 1-3 years.
- Rabies
 - Administer boosters annually or 3-year Rabies with proof of prior vaccination.
 Note: Owners MUST bring previous Rabies certificate or license showing previous Rabies, otherwise a 1-year Rabies will be given.

Recommended Non-Core Vaccines for Dogs

- Bordetella (Administer boosters annually)
 - A single intranasal dose preferred or Injectable: 2 doses, 2-4 weeks apart.

Recommended Core Vaccines for Cats

Initial Vaccination Cats under ≤20 Weeks of Age

- FVRCP (Herpes, Calicivirus, Panleukopenia)
 - Administer every 3 4 weeks until16 20 weeks of age. In high CDV risk areas, 18-20 weeks is preferred. (OUR AREA!)
- Rabies: Given between 12 16 weeks of age.

Initial Vaccination Cats under ≥20 Weeks of Age

- FVRCP (Herpes, Calicivirus, Panleukopenia)
 - 2 doses, 3 4 weeks apart, same if vaccination history is unknown.
- Rabies: 1 dose.

Revaccination

- FVRCP (Herpes, Calicivirus, Panleukopenia)
 - A single dose of FVRCP at 6-12 months of age.
 - Administer subsequent boosters at intervals of 1-3 years.
- Rabies
 - Administer boosters annually or if clinic carries 3-year Rabies, booster every 3 years.

 Note: We do not currently carry 3-year Rabies vaccines for cats.